



BRITISH LEAD MILLS

British Lead Mills Peartree Lane Welwyn Garden City Hertfordshire AL7 3UB

British Rolled Lead to BS:EN 12588

www.britishlead.co.uk

GUIDE TO STANDARD LEAD FLASHING ROLL WEIGHTS

	CODE 3		CODE 4		CODE 5		CODE 6		CODE 7		CODE 8	
Nominal Thickness	1.32mm		1.80mm		2.24mm		2.65mm		3.15mm		3.55mm	
Standard Widths	3m	6m	3m	6m	3m	6m	3m	6m	3m	6m	3m	6m
MM Nearest Imperial	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg	kg
150 6"	7	13	9	18	11	23	14	27	16	32	18	36
180 7"	8	16	11	22	14	27	16	32	19	39	22	43
210 8"	9	19	13	26	16	32	19	38	23	45	25	51
240 9"	11	22	15	29	18	37	22	43	26	51	29	58
300 12"	13	27	18	37	23	46	27	54	32	64	36	72
360 14"	16	32	22	44	27	55	32	65	39	77	43	87
390 15"	18	35	24	48	30	59	35	70	42	84	47	94
420 16"	19	38	26	51	32	64	38	76	45	90	51	101
450 18"	20	40	28	55	34	69	41	81	48	96	54	109
510 20"	23	46	31	62	39	78	46	92	55	109	62	123
600 24"	27	54	37	73	46	91	54	108	64	129	72	145
760 2'-6"	34	68	47	93	58	116	69	137	81	163	92	184
800 -	36	72	49	98	61	122	72	144	86	171	97	193
900 3'-0"	40	81	55	110	69	137	81	162	96	193	109	217
1,000 -	45	90	61	122	76	152	90	180	107	214	121	242
1,220 4'-0"	55	110	75	149	93	186	110	220	131	261	147	295
1,500 5'-0"	67	135	92	184	114	229	135	270	161	321	181	362
2,440 8'-0"	—	—	149	299	186	372	220	440	261	523	295	589
Weight per m ²	15.0kg		20.41kg		25.40kg		30.10kg		35.72kg		40.26kg	

To calculate the approximate weight of a piece of Rolled Lead Sheet, multiply the length in metres by the width in metres and then multiply by the Code weight in kg/m² shown in the above table

Lead Slates  Underlays  T-Pren  Patination Oil  Pointing Sealant